



Trusted by
2600+ Service Providers across
78+ countries

REVE Systems commenced operation in 2003 with a focused approach to serve the IP Communications industry. Headquartered in Singapore, REVE has its development centres in Bangladesh and India, regional offices in Hong Kong, Russia, UK and USA.

The company offers a wide assortment of products ranging from backbone infrastructure to client-side applications, including middleware.

A telecommunication & software solutions provider, REVE Systems ensures best returns on technology investments and strengthens the Service Providers' market presence by providing them with best-in-class VoIP solutions.

REVE Systems | www.revesoft.com

A Red Herring 2012
Top 100 Global Company



Singapore

WCEGA Tower, Unit #15-84,
21 Bukit Batok Crescent,
Singapore 658065
Tel: +65 3157 5040

Bangladesh

Facilities Tower,
Kha-199/2,
Maddhya Badda, Dhaka
Tel: +8801714743385

India

D-185, Okhla
Industrial Area, Phase 1
New Delhi 110 020, India
Tel: +91 11 4055 4791

UK

227 Old Gloucester Street
London
WC1N 3AX.
Tel: +44 7956170990

USA

Latitude Brickell Centre
Suite 1900, 175 SW 7th St,
Miami, FL 33130
Tel: + 1 305 704 4612

Hong Kong

Boss Commercial Centre,
Unit 9-05, 28 Ferry Street,
Kowloon, Hong Kong
Tel: +852 2332 8755

Russia & CIS

6/1-3, Molitovskaya
Str. Nizhny Novgorod,
603132
Tel: +7 951 910 4052

Ver-Jan/2016



iTel
switch

Carrier Grade Softswitch
& Billing Platform

REVE Systems

Want to see your business fly
with the fastest

Softswitch

in the world?



iTel
switch
Quickest Call Connectivity

Handles multiple
softswitches
from a single
billing interface

Carrier Grade Softswitch

iTel Switch is a versatile switching platform with integrated billing. Its robust and flexible architecture has been designed to meet the particular requirements of retail as well as wholesale VoIP operators. Its standalone single server deployment provides small to medium service providers an easy start, while its deployment in distributed architecture makes it suitable for large IP carriers.

Quickest Call Connectivity

iTel Switch allows instant connectivity on VoIP calls. This improves the overall call quality offered by service providers, thereby increasing their calling minutes.

Advanced Routing Options

iTel Switch comes with adaptive routing features such as Time Based, Quality Based,

Quick Call Connectivity Advanced Routing

5000
concurrent
calls with media
on a standalone
server

Distributed &
Redundant
Architecture

"We are using iTel Billing platform for many years and we are absolutely delighted with the quality of support. This is very useful for our business."

**Vialtex Prodcem SRL,
Romania**

Percentage Based, Loss Less and LCR among others, making call handling very efficient.

Prefix Based Group Routing

This feature helps you to manage different Routing plans with different prefixes in an easy manner. The prefixes created in the billing system become group identities for effective call routing.

Routing for Number Portability

Nowadays, Telcos are offering mobile number portability facility to their customers, whereby they can switch between carriers by keeping the same mobile number. iTel Switch offers best call routing features to easily handle and manage call terminations in such cases.



Protocol Conversion & Transcoding

iTel Switch handles multiple protocols and translates between SIP and H.323. It has leading edge built-in transcoding capacity and converts the following into the other:

- In conversion mode: G729, G711, G723.1, AMR-NB, Speex and more
- In transparent mode bypasses all standard audio codecs

Live Statistics	
<i>Call Status</i>	
Highest Calls Recorded	8,0535
Today's Highest Calls	7,201
Running Calls	5,232
ASR	47 %
ACD	07:34Min
Data Backup Service	Activated
<i>Server Status</i>	
CPU Usage	2.74%
RAM Usage	40.87%
HDD Usage	59%
<i>User Status</i>	
Total Users	4
<i>Revenue Status</i>	
Total Minutes	2717009
Total Bill	28890\$
Total Revenue	2935\$
Lossy Routes	2
<i>System Client Status</i>	
IP PIN	65770
	32
	25
	0

Last Day Status (2015-03-03)						
Highest Calls	Lowest Calls	Total Successful Calls	ACD	ASR	Total Minutes	Total Revenue
6,535	871	409837	7:20 Min	44%	2617099	0.0



Month Week Yesterday Today

Customer-wise ACD, PDD and ASR for 2015-03-04



Name	Calls	ACD	ASR	Avg. PDD
A 8	1530	7:38	83%	0.03
A 5	1021	6:40	100%	0.30
A 6	925	6:06	87%	0.52
A 2	901	8:24	89%	0.03
A 4	876	7:06	90%	1.00
A 3	853	5:23	85%	0.50
A 9	822	6:07	98%	0.62
A 7	793	06:25	78%	0.30
A 1	788	8:00	100%	0.35
A 10	729	6:36	90%	0.30

Month Week Yesterday Today

Gateway-wise ACD, PDD and ASR for 2015-03-04

Name	Calls	ACD
B 9	1025	5:23
B 3	925	6:06
B 6	901	8:24
B 4	835	7:06
B 5	755	5:23
B 10	698	6:07
B 7	542	06:25
B 1	485	8:00
B 8	321	6:36
B 2	~	~

Complete
Softswitch
Monitoring from a
Single Page



Dashboard for Softswitch Monitoring

iTel Switch has taken softswitch monitoring over to the next level, with its state-of-the-art single-page Monitoring system. You can see all important updates like Live Call Status, Origination & Termination Client-wise Profits/Losses and ACD/ASR/PDD reports, and a lot many things, just at a glance.

Never Go Negative

Never go Negative is a next generation billing feature that prevents user account balances from going negative. Its keeps an eye on user account balances and enables the VoIP service provider to maximize profits through higher business efficiency.

'N' Levels of Reseller Creation

iTel Switch gives you the flexibility to create 'n' levels of resellers. You can also assign different roles and rights to the resellers as per your requirements.

View Live Calls without the need of Server Login

With iTel Switch you can view your active call reports without the need to server login, thereby making it very user friendly for switch users.

Single PIN for all Call Origination Devices

iTel Switch allows you to use single PIN for all call origination devices like Mobile Dialer, PC Dialer, Web Dialer, Calling Cards and IP Devices

Route Quality Checker

iTel Switch allows switch users to:

- Check whether a call is coming through a CLI or a Non-CLI route
- Whether FAS is activated or not for termination
- Record voice files directly from web panel
- Check calls with specific termination directly from web panel and send email from there itself to the vendor with the recorded voice files as proof

Just Relax!

Even if the world knows your Password.



iTel
switch
Security Device

A first-of-its-kind
softswitch
security system

Dual-level
authentication
through
integrated
OTP device

Prevents
unauthorized login
even if username
and password get
compromised

Security Device Behavioural Alarms

"Using iTel Switch, I am able to run my VoIP business without any worries. Its multi-layer security system provides protection from any kind of hacking attempts."

*Yousuf Makka Wala
President - International
Business
Saif Solution, U.A.E.*

Industry's Most Secured Softswitch

iTel Switch is a first-of-its-kind softswitch that employs a secondary layer of authentication for softswitch login. Users have an option of entering a unique security code generated by iTel Security Device, after entering their Username and Password.

This secondary authentication protects iTel Switch from hacking attempts, thereby making it the most secured softswitch in the industry.

Runs Behind NAT/Private IP

In association with iTel Byte Saver, iTel Switch can work behind NAT (Network Address Translation) or private IP.

IP Firewall Management (White / Black Listing)

This feature enables you to avoid monetary losses from dubious IPs passing calls from your softswitch without your prior permission or agreement, by allowing you to Black List them. You can also keep a track on such IPs through automatic system generated reports.

Behaviour Based Alarm System

iTel Switch sends automatic SMS or email alerts to Admin users, in case of the following unexpected situations:


- Server performance shrinkage
- Impulsive call terminations
- Unexpected amount recharge and rapid increases in call volumes

Therefore, timely notifying the switch user in the following situations:

- If calls increase suddenly from a single account or client, and crosses the given limits
- If calls increase suddenly above the given limits for any destination
- If calls pass through any expensive route for more minutes vis-à-vis the given time frame
- In case of an unusual recharge to clients/resellers

Now, I can run my VoIP business from my mobile with

iTel Switch Mobile App



Service providers can now manage their VoIP business on the fly

Recharge balance, add resellers/PINs, monitor calls from mobile

Available on Android, iOS, Windows Phone & Symbian



Mobile App

“REVE Systems’ iTel Switch has a very user friendly interface, which facilitates me & my resellers to run our day-to-day operations very easily.”

*Murtuza Ratlamwala
Saif Telecom*

iTel Switch Mobile App

iTel Switch Mobile App has brought in new dimensions of ease and convenience to the management of VoIP businesses. It allows complete access to iTel Switch from the mobile phone. Available in all leading mobile platforms; Android, iOS, Windows Phone and Symbian, the app allows Service Providers and Resellers to accomplish important tasks like PIN generation, reseller creation, account recharging and more, from their fingertips.

Advanced Global Configuration

iTel Switch users can change all backend switch configurations from their web panel. Users get complete control over their switch to change any parameter as per requirements. The facility helps both, the user and support, to reduce work delay.

Call Simulation

This facility helps switch users to check whether a call will pass or not with the

available route lists, check for call drops due to Loss Less or blocked routes, check the LCR sequences, available balances, rates, etc.

Intelligent Rate Management

iTel Switch comes with the following features for intelligent Rate Management:

- Convenient tax adding facility
- Time & day-wise rate plan options
- Facility to assign future rate plan
- Supports multiple mode of rate creation
- Option to increase Current Rate by using % value
- Supports .csv format
- FNF rate facility

Multiple Payment Gateways Supported

Payment gateways can be configured by Admin users or by Resellers. Any one or multiple gateway options can be activated as per requirement.

The system also supports currency conversion as per the current conversion rates, with payment history duly recorded.





**If your business is VoIP
YOU CANNOT IGNORE DATA LOSS.
Are you covered?**



Enabling real
peace of mind for
those in
VoIP business

Real-time backup
of switch database
maintained
without any delay

Available for
both licensed
as well as
hosted switch
users



Quickly rollout your
VoIP Business with
iTel Switch

Data Backup

With REVE's Data Backup facility, a real-time backup of your switch database is maintained as a mirror image in another server, ensuring you complete peace of mind from data loss. Both licensed as well as hosted iTel Switch users can avail this benefit irrespective of their call volumes or business size.

Features & Benefits

- Backup can be taken at any time from iTel Switch panel
- Real-time backup status can be seen anytime from switch panel
- System sends automatic alerts in case of data replication failure
- In case of primary switch server HDD crash, the database of affected server can be restored within 30 minutes

Packaged Billing Feature

iTel Switch comes with a readymade feature that enables its users to easily offer call bundlings to different destinations clubbed into one, for higher reseller profits.

Refer a Friend' Feature

iTel Switch automatically tracks all invites sent by your current users through the social media platforms, to any non-user and creates the appropriate database in the billing system. This features helps you to easily manage all their rewards payable.

Offer Mobile Top Up (MTU) from the same PIN

Mobile Top Up (MTU) is a feature in iTel Switch, which allows your customers to recharge any mobile number, across 100+ countries in the world, using the same PIN which they use for voice calls.

Mobile Recharge Partners



Data Backup
Mobile Top Up

"Time for a
Game Changer!"



Now offer
Multiple Switches
from a single
switch.

Introducing Switch Partitioning

Users can access
iTel Switch
through a
mobile app

Multiple IPs
can be mapped
to partitioned
softswitch

Highly secured
& fully customized
billing link for
each user

Switch & Reseller Partitioning

*"One of the greatest features
of iTel Billing is its easy user
interface. This is very easy to
understand for our
employees and serves all our
requirements."*

**30 Degree East
Telecommunication,
South Africa**

Offer Multiple Switches from a single softswitch with Switch Partitioning

iTel Switch comes with switch partitioning facility, which allows the administrator to partition the switch and distribute it amongst multiple users. Each partitioning offers a completely new, independent softswitch to its users.

- Map multiple IPs in the same switch
- Allow resellers their own VoIP labels
- Enable advanced Call Monitoring

Give your resellers their own Brand Identity with Reseller Partitioning

iTel Switch has Reseller Partitioning features. With this, the administrator can generate new customized billing interfaces for his VoIP resellers enabling them their own brand identity.

- Allow your resellers a fully customized look & feel of their iTel Switch panel with full branding options
- Map unique Domain Names for your resellers with Login Restrictions

GSM Gateway

iTel Switch can terminate calls to a PIN. For example, say a GSM Gateway in Peru is connected to the internet behind NAT. It can log in with a PIN and password to iTel Switch, and remain registered with it. iTel Switch will then route all Peru calls to this PIN depending upon the call handling capacity of the gateway.

Advanced Calling Card Platform



Offer PINless Calling
Card with
iTel Switch

Supports
multiple IVRs,
currencies
and languages

Supports
prepaid & postpaid
billing through
multiple payment
gateways

Integrated Calling Card platform

iTel Switch comes with an advanced Calling Card platform for service providers who want to offer this service. The platform allows end users to enjoy PINless dialling. All calls are trackable through the billing software of the service provider.

Features

- DID Multiplexing allows end users to use the DID for making calls without going through the IVR
- Supports multiple languages in IVR

Calling Card & Call Shop Solutions

Our Technology Awards



- Allows recharges in multiple currencies via PayPal, and other online payment gateways
- Allows end users to simply register via service provider's website

Comprehensive Call Shop solution

iTel Switch comes integrated with iTel Billing for advanced call shop operation:

- Main switch owner can enable/disable call shop module from his child resellers
- Any level reseller can go for the call shop features
- Parent switch owners can monitor the call shop along with their shop managers
- Reports can be generated both call shop-wise and booth-wise

Hosted Softswitch Solutions

for complete peace of mind

Hosted Solutions Easy Migration

Migrate from
any other softswitch
to iTel Switch
in few easy steps

Minimum service
downtime causes
minimum customer
inconvenience

Multiple
hosted plans to
choose from

Migrate easily from
any other **Softswitch**
to **iTel switch**



Hosted Offerings

iTel Switch is also available on hosted basis with monthly payment options. The hosted offerings are ideal for small and medium VoIP service providers who want to avoid the hassles of managing the logistics of server hosting.

Benefits

Taking up iTel Switch on a hosted basis offers numerous benefits like easy monthly payment options, 24x7 managed services and more, making it very easy for new start-ups to enter this line of business.

Easy Migration from your Existing Softswitch

We have tools available to ensure that when you migrate from your existing softswitch to iTel Switch, there is minimum downtime to your services so that your clients are not inconvenienced. In fact, our migration procedure is so smooth that your end users will never even realize that you shifted your switching platform. Isn't that convenient?

Migration Procedure

- You provide access of your existing softswitch database to REVE and migration process is initiated
- Once migration is complete, you migrate from your existing softswitch with full details of customer PINs, reseller details and PIN balances

iTel Platinum Support

www.itelsupport.com



24x7 Support



“Customer support of REVE Systems is extraordinary. They are available round the clock to solve our problems.”

Acevillia Development Corporation, Kenya

Support team can be reached through ticketing, live chat, e-mail or phone

Dedicated Support Portal for REVE customers

- Automated self-provision tool, which allows customers to change IP/Port and other settings of their software application
- Manage customer account information and get product upgrade/new product notifications

In order to provide 24x7 customer support to our global client base, we have a pool of trained engineers working round the clock and a dedicated online portal to facilitate interactions. Our engineers are trained on cross-vendor platforms.

Our processes have been developed to provide unmatched quality of service to you – our clients, which ensure that your services are always available to your end users.

iTel Support Portal has the following facilities:

- Online trouble ticketing
- 24x7 Live Chat with our support engineers
- Complete view of history of all support requests

Suggested Server Specifications for 1000+ CC (Proxy Mode)

Operating System: Linux/Unix
Processor: Dual Xeon 2.0 GHz,
RAM: 12 GB
Hard Disk: 500 GB +
Cache Size: 12 MB
Core: 6
Network Card: 1 Gigabit Ethernet

Suggested Server Specifications for 5000 CC (Proxy Mode)

Operating System: Linux/Unix
Processor: Dual Xeon 3.5 GHz
RAM: 32GB
Hard Disk: 500 GB +
Cache Size: 12 MB
Core: 8
Network Card: 2 Gigabit Ethernet